



Roca

Rockart

Rockart

Rockart stone mosaics add sophistication along with an element of design to any space. Explore the different colors, shapes and finishes this series has to offer.



Rockart Nero Marquina Hexagon 12"x13" Mosaic

Natural Stone & Recycled Glass Mosaics

◇ □ 12"x14" - 12"x13" - 12"x12" - 11"x12" - 10"x12" - 9"x12" - 9"x9"



Rockart Oval Nero Marquina & Thassos 10"x11" Mosaic






Rockart Nero Marquina Metal Arrow 10"x12" Mosaic




Rockart Statuary Dots 12"x12" Mosaic

Rockart

Natural Stone & Recycled Glass Mosaics





 | 12"x14" 30x35 cm 12"x13" 30x33 cm 12"x12" 30x30 cm 11"x12" 28x30 cm 10"x12" 25x30 cm 10"x11" 25x28 cm 9"x9" 23x23 cm




Gray Granite Penny Round
12"x12" Mosaic
Recycled Glass




Gray Granite Hexagon
12"x12" Mosaic
Recycled Glass




Nero Marquina Dots
12"x12" Mosaic
Recycled Glass




Oval Nero Marquina & Thassos
10"x11" Mosaic




Marble B&W Hexagon
9"x12" Mosaic



Thassos & Nero Marquina Dots
11"x12" Mosaic



Carrara Penny Round
12"x12" Mosaic
Recycled Glass



Statuaria Dots
12"x12" Mosaic
Recycled Glass



Nero Marquina Metal Arrow
10"x12" Mosaic




Carrara Hexagon
12"x12" Mosaic




Calacatta Gold Oval
10"x10" Mosaic




Carrara Marble Lantern
12"x12" Mosaic




Thassos Triangle
12"x14" Mosaic




Nero Marquina Metal Geo
12"x14" Mosaic



Nero Marquina Triangle
12"x12" Mosaic



Carrara White Metal Geo
12"x14" Mosaic



Nero Marquina Hexagon
12"x13" Mosaic



Thassos Hexagon
12"x13" Mosaic




Gray Granite Hexagon 12"x12" Mosaic

Our Rockart Collection presents a high degree of shade variance inherent in natural stone products. If consistent color is required, we recommend purchasing 25% more product to achieve the greatest uniformity possible. Should you require a uniform appearance, we suggest looking into porcelain mosaic alternatives.


Rockart

Natural Stone & Recycled Glass Mosaics

8.5-9 mm |  | **12"x14"** 30x35 cm | **12"x13"** 30x33 cm | **12"x12"** 30x30 cm | **11"x12"** 28x30 cm | **10"x12"** 25x30 cm | **9"x12"** 23x30 cm | **10.9"x9.5"** 27.6x24 cm




Large Marble Rhombus
12"x12" Mosaic



Small Marble Rhombus
12"x12" Mosaic



Marble Crossed Basket Weave
12"x12" Mosaic




Carrara Marble 1x1 Square
10.9"x9.5" Mosaic



Statuary Picket
10.9"x9.5" Mosaic
Recycled Glass



Calacata Gold Brick
12"x12" Mosaic
Recycled Glass



Calacata Brick
12"x12" Mosaic
Recycled Glass




Marble Herringbone
12"x12" Mosaic



Marble W&G Chevron
11"x12" Mosaic




Marble Spike
10"x12" Mosaic



Marble B&W Medallion
12"x12" Mosaic




Marble Daisy Flower
10"x12" Mosaic



Marble Kaleidoscope
12"x12" Mosaic




Marble Gray Medallion
12"x12" Mosaic



Marble Basket Weave
12"x12" Mosaic



Marble B&W Basket Weave
12"x12" Mosaic



Rockart Marble B&W Hexagon 9"x12" Mosaic

Our Rockart Collection presents a high degree of shade variance inherent in natural stone products. If consistent color is required, we recommend purchasing 25% more product to achieve the greatest uniformity possible. Should you require a uniform appearance, we suggest looking into porcelain mosaic alternatives.

8.5-9 mm | 12"x12" 30x30 cm | 2"x10" 5x25 cm

Individual bricks, not a mosaic mesh



Blue Mix Circle
12"x12" Mosaic



Blue Mix Fan
12"x12" Mosaic



Blue Mix Picket
10"x12" Mosaic



Green Mix Circle
12"x12" Mosaic




Green Marble Hexagon
12"x12" Mosaic



Green Marble Brick*
2"x10" Brick
*Individual Bricks, not a mosaic mesh



Blue Mix Stacked
12"x12" Mosaic




Blue Mix Penny Round
12"x12" Mosaic



Rockart Marble Picket 14"x10" Mosaic



Green Mix Stacked
12"x12" Mosaic



Green Mix Penny Round
12"x12" Mosaic

Our Rockart Collection presents a high degree of shade variance inherent in natural stone products. If consistent color is required, we recommend purchasing 25% more product to achieve the greatest uniformity possible. Should you require a uniform appearance, we suggest looking into porcelain mosaic alternatives.

Rockart

Natural Stone & Recycled Glass Mosaics

Packaging Information

Size	SF per Carton	PC per Carton	BX per Pallet
Rockart Penny Round 12"x12" Mosaic	10.80	11	81
Rockart Hexagon 12"x12" Mosaic	10.72	11	81
Rockart Dots 12"x12" Mosaic	9.92	11	81
Rockart Daisy Flower 10"x12" Mosaic	8.93	11	72
Rockart Marble Spike 10"x12" Mosaic	9.58	11	72
Rockart Hexagon Marble 9"x12" Mosaic	7.53	11	72
Rockart Chevron Marble 11"x12" Mosaic	10.23	11	72
Rockart Metal Geo 12"x14" Mosaic	13.37	11	72
Rockart Metal Arrow 10"x12" Mosaic	9.33	11	72
Rockart Herringbone Marble 12"x12" Mosaic	11.30	11	72
Rockart Basket Weave Marble 12"x12" Mosaic	10.76	11	72
Rockart Kaleidoscope Marble 12"x12" Mosaic	10.76	11	72
Rockart Large Marble Rhombus 12"x12" Mosaic	11.65	11	72
Rockart Small Marble Rhombus 12"x12" Mosaic	11.30	11	72
Rockart Medallion Marble 12"x12" Mosaic	11.65	11	72
Rockart Metal Geo 12"x14" Mosaic	13.37	11	72
Rockart Metal Arrow 10"x12" Mosaic	9.33	11	72
Rockart Oval 10"x11" Mosaic	8.44	11	72
Rockart Thassos Triangle 12"x12" Mosaic	12.95	11	72

Packaging Information

Size	SF per Carton	PC per Carton	BX per Pallet
Rockart Nero Marquina Triangle 12"x12" Mosaic	12.95	11	72
Rockart Thassos Hexagon 12"x13" Mosaic	11.92	11	72
Rockart Nero Marquina Hexagon 12"x13" Mosaic	11.92	11	72
Rockart Carrara Marble 1"x1"Hex 12"x12" Mosaic	10.66	11	72
Rockart Circle 12"x12" Mosaic	9.15	10	54
Rockart Blue Mix Fan 12"x12" Mosaic	8.93	10	54
Rockart Blue Mix Picket 10"x12" Mosaic	10.77	10	54
Rockart Green Marble Hexagon 12"x12" Mosaic	8.29	10	54
Rockart Green Marble Brick 2"x10" Brick	2.58	15	160
Rockart Stacked 12"x12" Mosaic	9.58	10	54
Rockart Penny Round 12"x12" Mosaic	8.93	10	54
Rockart Statuary Picket 10.9"x9.5" Mosaic	14.00	15	72
Carrara Marble 1x1 Square 10.9"x9.5" Mosaic	10.66	11	72
Rockart Calacata Gold Brick 12"x12" Mosaic	10.76	11	72
Rockart Calacata Brick 12"x12" Mosaic	10.76	11	72

Technical Specifications

ITEM	FINISH	SIZE	THICKNESS	RECOMMENDED GROUT JOINT	TYPE OF STONE
USTMHERR001	POLISHED	12"x12"	9/32	3/32	CARRARA
USTMBSWE002	POLISHED	12"x12"	9/32	3/32	ORIENTAL WHITE
USTMBSWI003	POLISHED	12"x12"	9/32	3/32	ORIENTAL WHITE/ MONGOLIA BLACK
USTMCBWI003	POLISHED	12"x12"	9/32	3/32	ORIENTAL WHITE
USTMMFLO004	POLISHED	10"x12"	9/32	3/32	CARRARA/ ARISTON
USTMSPKE005	POLISHED	10"x12"	9/32	3/32	CARRARA
USTMROMB006	POLISHED	12"x12"	9/32	1/8	CARRARA
USTMRMBS007	POLISHED	12"x12"	9/32	3/32	CARRARA
USTMCREY008	POLISHED	12"x12"	9/32	3/32	VOLAKAS/ SHELL
USTMNETB009	POLISHED	12"x12"	9/32	3/32	VOLAKAS/ MONGOLIA BLACK
USTMNETG010	POLISHED	12"x12"	9/32	3/32	VOLAKAS/ CARRARA
USTMCHEV011	POLISHED	11"x12"	9/32	3/32	TASSOS/ CARRARA
USTMBWHX012	POLISHED	9"x12"	9/32	3/32	ARISTON/ MONGOLIA BLACK
FWMGST1001	28.6% Polished 71.4% Matte	12"x12"	1/4	1/8	CARRARA MARBLE/ RECYCLED GLASS
FWMGST2005	28.6% Polished 71.4% Matte	12"x12"	1/4	1/8	GRAY MARBLE/ RE- CYCLED GLASS
FWMGST1002	23% Polished 77% Matte	12"x12"	1/4	1/8	CARRARA MARBLE/ RECYCLED GLASS
FWMGST2009	23% Polished 77% Matte	12"x12"	1/4	1/8	GRAY MARBLE/ RE- CYCLED GLASS

RECOMMENDED TRAFFIC	STONE CHARACTERISTICS	COLOR VARIATION	INTERIOR / EXTERIOR USE	FLOOR / WALL USE	STONE ORIGIN
M/L	GROUP I	CV2	BOTH	F&W	ITALY
M/L	GROUP I	CV2	BOTH	F&W	CHINA
M/L	GROUP I	CV2	BOTH	F&W	CHINA
M/L	GROUP I	CV2	BOTH	F&W	CHINA
R	GROUP II	CV2	BOTH	F&W	ITALY
M/L	GROUP I	CV2	BOTH	F&W	ITALY
R	GROUP I	CV2	BOTH	F&W	ITALY
M/L	GROUP II	CV2	BOTH	F&W	ITALY
R	GROUP II	CV2	INTERIOR	F&W	ITALY
R	GROUP I	CV2	BOTH	F&W	GREECE CHINA
R	GROUP I	CV2	BOTH	F&W	ITALY GREECE
M/L	GROUP I	CV2	BOTH	F&W	ITALY GREECE
R	GROUP II	CV2	INTERIOR	F&W	GREECE CHINA
R	GROUP I	CV2	BOTH	F&W	CHINA
R	GROUP I	CV2	BOTH	F&W	CHINA
R	GROUP I	CV2	BOTH	F&W	CHINA
R	GROUP I	CV2	BOTH	F&W	CHINA

Technical Specifications

ITEM	FINISH	SIZE	THICKNESS	RECOMMENDED GROUT JOINT	TYPE OF STONE
USTMCWME011	Polished	12"x14"	1/4	3/32	CARRARA WHITE
USTMNMME012	Polished	12"x14"	1/4	3/32	NERO MARQUINA
USTMNMARE014	Polished	10"x12"	1/4	3/32	NERO MARQUINA
USTMOVWM01	Polished	10"x12"	1/4	3/32	NERO MARQUINA/ STAINLESS STEEL
USTMTRWM04	Polished	12"x14"	1/4	3/32	THASSOS/ STAIN- LESS STEEL
USTOCWM10	Polished	12"x14"	1/4	3/32	NERO MARQUINA/ STAINLESS STEEL
USTHXWM08	Polished	11"x12"	1/4	3/32	THASSOS/ STAIN- LESS STEEL
USTOCWM09	Polished	12"x13"	1/4	3/32	THASSOS/ STAIN- LESS STEEL
USTOCWM10	Polished	12"x13"	1/4	3/32	NERO MARQUINA/ STAINLESS STEEL
UCALOVAIZGE	Honed	10"x10"	1/4	1/8	CALACATA
UCALBRGIZGE	Honed	12"x12"	1/4	1/8	CALACATA GOLD
UCALBRIIZGE	Honed	12"x12"	1/4	1/8	CALACATA
UMARPICIZGE	Matte	10.9"x9.5"	1/4	1/8	STATUARY PICKET
USTMTRWM05	Polished	12"x14"	1/4	3/32	NERO MARQUINA/ STAINLESS STEEL
FWMRGLDO01	Matte	12"x12"	1/4	1/8	RECYCLED GLASS
FWMRGLDO02	Matte	12"x12"	1/4	1/8	RECYCLED GLASS
USTMLNTO03	Polished	12"x12"	7	2-5	CARRARA

RECOMMENDED TRAFFIC	STONE CHARACTERISTICS	COLOR VARIATION	INTERIOR / EXTERIOR USE	FLOOR / WALL USE	STONE ORIGIN
M/L	GROUP I	CV2	BOTH	W	ITALY
M/L	GROUP I	CV2	BOTH	W	CHINA
M/L	GROUP I	CV2	BOTH	W	CHINA
R	GROUP I	CV2	INTERIOR	F&W	GREECE CHINA
R	GROUP I	CV2	INTERIOR	F&W	CHINA
M/L	GROUP I	CV2	BOTH	F&W	GREECE CHINA
M/L	GROUP I	CV2	BOTH	F&W	GREECE CHINA
R	GROUP I	CV2	INTERIOR	F&W	GREECE
R	GROUP I	CV2	INTERIOR	F&W	CHINA
R	GROUP I	CV02	BOTH	F&W*	CHINA
R	GROUP I	CV02	BOTH	F&W*	CHINA
R	GROUP I	CV02	BOTH	F&W*	CHINA
R	GROUP I	CV03	BOTH	F&W	CHINA
R	GROUP I	CV2	INTERIOR	F&W	CHINA
R	GROUP I	CV2	BOTH	W	CHINA
R	GROUP I	CV2	BOTH	W	CHINA
M/L	GROUP I	CV2	BOTH	F&W	ITALY

*In floor installation is only recommended on dry areas.

Technical Specifications

ITEM	FINISH	SIZE	THICKNESS	RECOMMENDED GROUT JOINT	TYPE OF STONE
USTMSQ022	Polished	12"x12"	7	2-5	CARRARA
UBCLT1212PR	Polished	12"x12"	5/16	2/16	ARGENTINA / CELEST
UGRMT1212PR	Polished	12"x12"	5/16	2/16	GREEN VALLEY
UBCLST1212S	Polished	12"x12"	5/16	2/16	ARGENTINA CELEST / CARRARA / THASSOS
UGREMT1212S	Polished	12"x12"	5/16	2/16	GREEN VALLEY
UBCLST1212C	Polished	12"x12"	5/16	2/16	ARGENTINA CELEST / THASSOS
UGREMT1212C	Polished	12"x12"	5/16	2/16	GREEN VALLLEY / THASOS
UBCLST1212P	Polished	12"x12"	5/16	2/16	ARGENTINA CELEST / CARRARA / THASSOS
UBCLST1212F	Polished	12"x12"	5/16	2/16	ARGENTINA CELEST / CARRARA / THASSOS
UGREMT1212H	Polished	12"x12"	5/16	2/16	GREEN VALLEY
UGREMT210BR	Polished	12"x12"	6/16	2/16	GREEN VALLEY

RECOMMENDED TRAFFIC	STONE CHARACTERISTICS	COLOR VARIATION	INTERIOR / EXTERIOR USE	FLOOR / WALL USE	STONE ORIGIN
R	GROUP I	CV2	BOTH	F&W	ITALY
R	GROUP I	CV02	BOTH	F&W	MALAYSIA
R	GROUP I	CV02	BOTH	F&W	MALAYSIA
R	GROUP I	CV02	BOTH	F&W	MALAYSIA
R	GROUP I	CV02	BOTH	F&W	MALAYSIA
R	GROUP I	CV02	BOTH	F&W	MALAYSIA
R	GROUP I	CV02	BOTH	F&W	MALAYSIA
R	GROUP I	CV02	BOTH	F&W	MALAYSIA
R	GROUP I	CV02	BOTH	F&W	MALAYSIA
R	GROUP I	CV02	BOTH	F&W	MALAYSIA
R	GROUP I	CV02	BOTH	F&W	MALAYSIA

*In floor installation is only recommended on dry areas.

Stone Mosaics



Common Materials:

- Marble
- Travertine
- Limestone
- Slate



Considerations:

- Natural Beauty: Each piece is unique in veining and color.
- Porosity: Most stones are porous and require sealing before and after grouting.
- Maintenance: Needs regular cleaning with PH-neutral cleaners.
- Durability: Softer stones like marble can scratch or etch.



Installation Tips:

- Back-butter each sheet to ensure full adhesion.
- Use non-acidic, stone-compatible mortar.
- Apply penetrating sealer before and after grouting.
- Use a sanded grout to fill larger gaps unless stone is delicate.

Recycled Glass Mosaics



Characteristics:

- Made from post-consumer or post-industrial glass.
- Smooth, reflective, and available in vibrant colors.



Considerations:

- Eco-Friendly: Ideal for LEED projects.
- Color Consistency: Some may have subtle variations.
- Surface Sensitivity: Can scratch under abrasive cleaners.
- Thermal Expansion: May be affected by extreme heat or cold.



Installation Tips:

- Use white thinset to enhance color brightness.
- Do not use sand-based grout unless approved by manufacturer.
- Cut glass with a wet saw and glass blade for clean edges.

Stone & Metal Mosaics



Characteristics:

- Combine textures and tones of metal and stone.
- Metals used: Stainless steel, aluminum, bronze, copper.



Considerations:

- Mixed Material Challenges: Different expansion rates; be cautious in temperature-variable areas.
- Scratch & Tarnish Risk: Use non-abrasive cleaners.
- Aesthetic Impact: Bold and contemporary; best used as accents.



Installation Tips:

- Use epoxy or urethane-based adhesive for better bonding.
- Avoid trowel lines to prevent showing through glass/metal.
- Mask metal pieces when grouting to prevent staining.

Stone & Recycled Glass Mosaics



Characteristics:

- A fusion of eco-conscious design with natural aesthetics.
- Combines tactile stone with luminous glass.



Considerations:

- Visual Interest: Excellent for feature walls or backsplashes.
- Balance Maintenance Needs: Glass is low-maintenance; stone needs sealing.
- Grout Joint Variability: Edges of glass and stone can differ in height—plan grout carefully.



Installation Tips:

- Use a non-sag thinset to prevent sliding, especially on walls.
- Pre-seal stone areas before grouting.
- Apply grout in small sections, cleaning glass quickly to avoid haze.
- Use microfiber cloth and soft tools during cleanup to avoid scratching.

Guidelines for use of Rockart Mosaics by Roca

Please follow guidelines below to determine appropriate use of the Rockart Marble Mosaics by Roca USA.

RECOMMENDED TRAFFIC

R: Residential Suitable for residential use. Not recommended for commercial areas.

M/L: Medium/ Light Commercial. Suitable for light and residential use.

H: Heavy Commercial. Suitable for most commercial and/or high traffic areas.

N/A: Not recommended for floor use.

STONE CHARACTERISTICS

Group I: Clean stones with no geological imperfections or fissures. Filling or patching is not necessary for these stones.

Group II: Geological imperfections may be evident.

If holes or imperfections are found, they may be filled with epoxy or resin.

Group III: These stones may structural flaws such as holes, voids, or lines of separation. Repairing these stones is considered standard practice.

Group IV: These stones contain larger natural imperfections and require more refinishing over time, yet the same care is required as stones from Group III.

Stone Characteristics serve as a guide to classify thicker stones (Group I & II) from delicate stones (Group III & IV). Stones defined as Groups III & IV may require care before, during and after installation.

COLOR VARIATION

CV1: Low: Background color is relatively even.

CV2: Medium: Background color contain small variations.

CV3: High: Background color contains distinct variations.

CV4: Random: Varies in color and veining. Laying out the mosaics to blend the different color/ veining prior to installation is strongly recommended.

CONDITIONS OF PURCHASE

Natural stone products naturally lack consistency and are subject to variation in appearance such as color, shade, finish, etc.; as well as technical characteristics such as hardness, strength, slip resistance, etc.

Please note natural stone products do not meet minimum coefficient of friction thresholds recommended by safety standard setting organizations.

Check local building codes prior to specification or installation to verify that product technical characteristics comply with project requirements.

No warranties, express or implied, relative to merchantability or fitness for a particular purpose are made regarding the natural stone products distributed by Roca USA Inc.